



MODELS



BASE MODEL

5/16" STEEL SIDE PLATES
 3/8" STEEL WINCH MOUNT PLATFORM
 2 1/4" TOP CROSS TUBE


TO ORDER ADD "- **B**" TO PART NUMBER



TRADITIONAL MODEL

BASE MODEL WITH:
 1 1/4" STRAIGHT HOOPS


TO ORDER ADD "- **T**" TO PART NUMBER



STANDARD MODEL

BASE MODEL WITH:
 1 1/4" WRAP HOOPS


TO ORDER ADD "- **S**" TO PART NUMBER



DELUXE MODEL

BASE MODEL WITH:
 1 1/4" WRAP HOOPS & WIRES
 1 7/8" VINYL PUSH PADS (JAMMER)
 1 1/4" OVER RIDER HOOD BAR (EURO)
 2 1/4" BOTTOM CROSS TUBE

TO ORDER ADD "- **D**" TO PART NUMBER



GATOR MODEL

BASE MODEL WITH:
 2" STRAIGHT HOOPS & WIRES
 1 7/8" VINYL PUSH PADS (JAMMER)
 1 1/4" OVER RIDER HOOD BAR (EURO)
 2 1/4" BOTTOM CROSS TUBE

TO ORDER ADD "- **G**" TO PART NUMBER

MADE IN THE USA

ALL GUARD MODELS MAY BE CUSTOMIZED TO YOUR PERSONNEL PREFERENCES.
 PLEASE SEE PAGE 7 FOR AVAILABLE OPTIONS.

FEATURES

- COMPLETE WINCH MOUNT PACKAGES (NO ADDITIONAL PARTS TO ORDER) THAT INCLUDE ALL HARDWARE AND INSTRUCTIONS.
- ONE PIECE GMAW (MIG) WELDED CONSTRUCTION.
- STANDARD WINCH MOUNT BOLT PATTERN 4 1/2" X 10" (SEE PAGE 9 FOR WINCH LISTING).
- MULTI STEP FINISHING PROCESS FOR SUPERIOR PROTECTION.
- BLACK SATIN POWDER COATED FINISH.

CHEVROLET

	MODEL	YEAR	PART NO.	NOTES
AVALANCHE	1500	2007-2009	82GTWP	
	1500	2003-2006	82FWP	3
	2500	2001-2006	82AVBWP	
BLAZER		1998-2005	82SDBWP	4
COLORADO PICKUP		2004-2009	82CLWP	
EXPRESS VAN	1500	2003-2009	82VDWP	4,8
	2500	2003-2009	82VDBWP	4,8
	3500	2003-2009	82VDBWP	4,8
SILVERADO PICKUP	1500	2007-2009	82GWP	
		2003-2007	82FWP	6
		1999-2002	82DWP	4
		1988-2000	82CWP	4,5,6
	1500HD	2003-2007	82FBWP	6
		2001-2002	82DBWP	
	2500	2003-2007	82FBWP	6
		1999-2002	82DBWP	
		1988-2000	82CWP	4,5,6
	2500HD	2007-2009	82GHWP	
		2003-2007	82FHWP	6
		2001-2002	82DHWP	
3500HD	2007-2009	82GHWP		
	2003-2007	82FHWP	6	
	2001-2002	82DHWP		
	1988-2000	82CWP	2,4,5,6	
	1988-2000	82CBCWP	1,4,5,6	
SILVERADO SERIES CHASSIS CAB	3500	2007-2009	82GHWP	
		2003-2007	82FHWP	6
		2001-2002	82DHWP	
	3500HD	1991-2001	82CHDWP	4,6
TAHOE / SUBURBAN	1500	2007-2009	82GTWP	
		2000-2006	82DWP	4
		1992-1999	82CWP	2,4,5,6
	2500	2007-2009	82GTBWP	
		2000-2006	82DBWP	6
		1992-1999	82CWP	2,6
S10 PICKUP		1998-2004	82SDBWP	2,4
TRAILBLAZER	LT/LS*/SS*	2002-2009	82TWP	7,8,11*

Continued on next page

DODGE

	MODEL	YEAR	PART NO.	NOTES
RAM PICKUP	1500	2006-2008	88FWP	4
	1500	2002-2005	88EWP	4
	1500	1994-2001	88CBWP	6
	2500	2006-2009	88FBWP	4
	2500	2003-2005	88EBWP	4
	2500	1994-2003	88CBWP	6
	3500	2006-2009	88FBWP	4
	3500	2003-2005	88EBWP	4
	3500	1994-2002	88CBWP	6
RAM PICKUP SPORT	1500	1999-2001	88CBSWP	
	2500	1999-2002	88CBSWP	
	3500	1999-2002	88CBSWP	

FORD

	MODEL	YEAR	PART NO.	NOTES
BRONCO		1992-1996	84FWP	4,8
ESCAPE		2008-2009	83ESCWP	
		2005-2007	83ESBWP	
EXCURSION		2005-2005	84SDBWP	
		1999-2004	84SDWP	
EXPEDITION		2007-2009	84IBWP	
		2003-2006	84IWP	
		1999-2002	84HWP	2,6
		1999-2002	84HBWP	1,4,6
		1997-1998	84GWP	2
EXPLORER		2006-2009	83XGWP	
		2002-2005	83XFWP	
		1999-2001	83EXWP	
	SPORT	2006-2009	83XGWP	
		2001-2005	83XESWP	
	SPORT TRAC	2006-2009	83XGWP	
	2001-2005	83XESWP		
F SERIES PICKUP	F150	2009-2009	84KWP	
		2004-2008	84JWP	
		1999-2004	84HWP	2,6
		1999-2004	84HBWP	4,6
		1997-1999	84GWP	2
		1992-1996	84FWP	4,8
	F250	2008-2009	84SDCWP	
		2005-2007	84SDBWP	
		1999-2004	84SDWP	
		1999-1999	84HWP	2,6,12
		1999-1999	84HBWP	1,6,12
		1997-1998	84GWP	2,12
		1992-1998	84FWP	13

2009 WINCH MOUNT GUARD CATALOG

FORD

	MODEL	YEAR	PART NO.	NOTES
F SERIES PICKUP	F350	2008-2009	84SDCWP	4,8
		2005-2007	84SDBWP	
		1999-2004	84SDWP	
		1992-1998	84FWP	
HEAVY & SUPER DUTY CHASSIS CAB	F350	2008-2009	84SDCWP	4,8
		2005-2007	84SDBWP	
		1999-2004	84SDWP	
		1992-1998	84FWP	
	F450	2008-2009	84SDCWP	4,8
		2005-2007	84SDBWP	
		1999-2004	84SDWP	
		1992-1998	84FWP	
	F550	2008-2009	84SDCWP	4,8
		2005-2007	84SDBWP	
		1999-2004	84SDWP	
		1992-1998	84FWP	
RANGER PICKUP		1998-2009	83REW P	2

GMC

	MODEL	YEAR	PART NO.	NOTES
CANYON SERIEIES	PICKUP	2004-2009	82CLWP	
JIMMY		1998-2001	82SDWP	2
SIERRA PICKUP	1500	2007-2009	82GGWP	
		2003-2007	82FGWP	
		1999-2002	82DGWP	
		1988-2000	82CWP	
	1500HD	2003-2007	82FGBWP	
		2001-2002	82DGBWP	
	2500	2003-2007	82FGBWP	
		1999-2002	82DGBWP	
		1988-2000	82CWP	
	2500HD	2007-2009	82GGHWP	
		2003-2007	82FGHWP	
		2001-2002	82DGHWP	
	3500HD	2007-2009	82GGHWP	
		2003-2007	82FGHWP	
		2001-2002	82DGHWP	
		1988-2000	82CWP	
1988-2000		82CBCWP		
SIERRA SERIES CHASSIS CAB	3500	2007-2009	82GGHWP	
		2003-2007	82FGHWP	
		2001-2002	82DGHWP	
	3500HD	1991-2001	82CHDWP	
SONOMA PICKUP		1998-2004	82SDWP	2,4
		1994-1997	82SCWP	4

GMC—Continued on next page

GMC

	MODEL	YEAR	PART NO.	NOTES
YUKON / YUKON XL	1500	2000-2006	82DGWP	4
		1992-1999	82CWP	4,5,6
YUKON / YUKON XL	2500	2000-2006	82DGBWP	4,5,6
		1992-1999	82CWP	
SAVANA VAN	1500	2003-2009	82VDGWP	4,8
	2500	2003-2009	82VDBGWP	4,8
	3500	2003-2009	82VDBGWP	4,8

ISUZU

	MODEL	YEAR	PART NO.	NOTES
PICKUP	I-280	2006-2008	82CLWP	
		I-350	2006-2008	82CLWP

LINCOLN

	MODEL	YEAR	PART NO.	NOTES
MARK LT		2004-2008	84JWP	

NISSAN

	MODEL	YEAR	PART NO.	NOTES
ARMADA		2004-2007	92TWP	2
TITAN PICKUP		2004-2009	92TWP	2

TOYOTA

	MODEL	YEAR	PART NO.	NOTES
LANDCRUISER	WAGON	1998-2007	93TLFWP	
TACOMA PICKUP		2005-2009	93JWP	2
		2001-2004	93IWP	2,4
		1998-2000	93HWP	2,4
TUNDRA PICKUP		2007-2009	93TNCWP	
		2003-2006	93TNBWP	4
		2000-2002	93TNWP	4

NOTES:

1. 2 WHEEL DRIVE (2WD) ONLY.
2. 4 WHEEL DRIVE (4WD) ONLY.
3. WITHOUT BODY HARDWARE PACKAGE (CLADDING).
4. DRILLING OF FRAME REQUIRED FOR INSTALLATION.
5. DRILLING OF BUMPER REQUIRED FOR INSTALLATION.
6. CLASSIC, HERITAGE OR PRIOR "OLD" BODY STYLE ONLY.
7. CUTTING OF BUMPER FACIA REQUIRED FOR INSTALLATION.
8. CUTTING OR REMOVAL OF BUMPER SPOILER REQUIRED FOR INSTALLATION.
9. SL, SLT & TRX DODGE RAM TRIM PACKAGES ONLY.
10. CHASSIS CAB MODEL ONLY.
11. THIS ITEM DOES NOT FIT THE "LS" NOR "SS" MODEL YEARS 2006-2009 .
12. LIGHT DUTY ONLY.
13. AND 97-98 HEAVY DUTY.











2009 WINCH MOUNT GUARD OPTIONS

OPTIONS

EXAMPLE: 84DCWP-B-BJL (2009 FORD F-250)

- B- (BASE MODEL WINCH MOUNT)
- B (BOTTOM CROSS TUBE)
- J (1 7/8 VINYL PUSH PADS)
- L (ADD-ON LIGHT BAR)

NOTE: WHEN ORDERING PLEASE USE SEQUENTIAL NUMERATION IN ORDER AS FOLLOWS.

BOTTOM CROSS TUBE TO ORDER ADD " B " TO PART NUMBER	
1 1/4" OVERRIDER BAR (HOOP TO HOOP "EURO" STYLING) TO ORDER ADD " E " TO PART NUMBER	
2" STRAIGHT HOOP (HEAVY DUTY BRUSH GUARD HOOP) TO ORDER ADD " G " TO PART NUMBER	
1 7/8" VINYL PUSH PADS (INTERLOCK ON 1/4" X 1 1/2" STEEL BACK PLATE) TO ORDER ADD " J " TO PART NUMBER	
ADD-ON LIGHT BAR (4 AUXILLARY LIGHT MOUNT POINTS) TO ORDER ADD " L " TO PART NUMBER NOTE: CONSTRUCTED TO GUARD, CUSTOMER POSITIONED AND INSTALLED.	
#9 (3/4" OPEN) EXPANDED METAL SCREEN TO ORDER ADD " MB " (BOTTOM GUARD FACE) " MF " (FULL GUARD FACE) " MU " (UPPER GUARD FACE) TO PART NUMBER	
MULTI-MOUNT 2" RECIEVER MOUNT ONLY CONVERSION (+ CROSS TUBE WITH 2 AUX. MOUNTS) TO ORDER ADD " PR " TO PART NUMBER NOTE: CUSTOMER MUST SUPPLY PORTABLE WINCH CRADLE.	
2" BOX HITCH RECEIVER MOUNT ADDITION TO ORDER ADD " R " TO ORDER	
2" OVERRIDER BAR (INSIDE MAIN SIDE PLATES), (SAFARI) TO ORDER ADD " S " TO PART NUMBER	
3/8" ROUND ROD HEADLIGHT SCREEN (CONFORMS TO HOOP STYLE) TO ORDER ADD " W " TO PART NUMBER	

UNLESS OTHERWISE NOTED , ALL WINCH GUARDS:

- MOUNT DIRECT TO VEHICLE FRAME.
- MAY REQUIRE DRILLING OF SIDE PLATES FOR FINAL POSITION OF PIVOT LOCK BAR.
- ARE WINCH SPOOL CENTER DESIGNED.
- ARE VEHICLE SPECIFIC, NO UNIVERSAL DESIGNS.
- REQUIRE COMPLETE INSTALLATION OF ALL MOUNTING HARDWARE PER INSTRUCTIONS FOR PROPER INSTALLATION.
- ARE DESIGNED TO ACCEPT UP TO 9500# (LB) CAPACITY SELF RECOVERY WINCHES.
(SEE PAGE 9 FOR EXCEPTIONS).

NOTE:

Sterling Equipment & Mfg. Co. of Central Florida, Inc. designs and manufactures several different winch mounting guards to accommodate self recovery winches manufactured by several different manufactures. It is our opinion that these winch guards do not interfere with the factory air bag system when properly mounted. This opinion is based on observations of competitors winch mounting systems in conjunction with information gathered on how air bag sensors function. When installing a winch guard on a vehicle, the installer should take care to ensure that the mounting of the winch guard or its sub-brackets do not interfere with the factory air bag sensors (the vehicle sensors should not be moved or modified in any way.) It is not practical nor feasible to test every possible vehicle configuration with possible winch and winch mount configuration, and Sterling Equipment, et. al., has not attempted to do so. We recommend that the consumer check with the vehicle manufacturer and a reputable, qualified mechanic to determine whether a particular installation may interfere with the air bag system. The consumer should then make a personal decision as to the appropriateness of this accessory for their particular vehicle. Sterling Equipment, et al., cannot and does not guarantee the proper operation of the vehicle's air bag system if the winch guard is mounted contrary to the vehicle manufacturer's recommendations.

DISCLAIMER OF LIABILITY:

No warranty of any kind, expressed or implied, is made respecting the use of the product sold herein. Installation of Sterling Equipment & Mfg. Co. of Central Florida, Inc. products may change the vehicle manufacturers original characteristics. Sterling, et al., assumes no liabilities as a result of the changed vehicle characteristics. The buyer assumes and accepts all risk and liability whatsoever. Let it be noted that there are limitations to the severity of an impact that any tubular product can withstand. Some reasonable foreseeable impact may exceed the tubular products capability to protect against injury. These products are not a substitute for safe and careful driving.

► SELF-RECOVERY WINCH WIDTHS:

- The **Spool Centered Width** below is the required minimum **Inside Mounting Width** for a specific Guard Application to have a centered winch mounting, and must be less than the listed **Inside Mounting Width** of the specific Guard Application desired.
- If your desired winch fails the above test for the intended vehicle, but the **Overall Width** of the winch is less than **Inside Mounting Width** of the specific Guard Application, **we can adjust the specific Guard Application for offset mounting of your specific winch.** Please state "offset mounting required", and provide the winch mfg and model at time of order.

WINCH MANUFACTURER

Model Number	Overall Width	Spool Centered Width	
Mile Marker, Inc. (www.milemarker.com)			
H12000	24.65"	25"	
HI12000	24.65"	25"	
H10500	23.75"	24"	
HI105000	24.75"	25.5"	
H9000	23.55"	24"	
HI9000	24.75"	25.5"	
E12000	21.3"	23.44"	
E9000	21.45"	24.1"	
E8000	20.9"	23"	
MX8	21"	24.625"	
MX9	21.45"	24.625"	
SE12000	22.45"	24.625"	
SE12000C	21.57"	24.3"	
SE9500	22.125"	25"	
SE9500C	21.57"	24.3"	
SI12000	21.57"	24.25"	
SI9500	21.57"	24.25"	
SX9.5	21.57"	24.3"	
SX12	21.57"	24.3"	
PE8000	22"	24.75"	
VMX8	22"	24.625"	
VMX9	21.45"	24.625"	
Ramsey Winch Company (www.ramsey.com)			
Patriot 15000	24.3"	26.7"	(specialty winch mount plate required)
Patriot 9500	22.66"	25.54"	
Patriot 9500UT	22.66"	25.54"	
Patriot 8000	22.66"	25.54"	
Patriot 6000	22.66"	25.54"	
Patriot Profile 12000	22.44"	25.1"	(specialty winch mount plate required)
Patriot Profile 9500	22.65"	25.54"	
Patriot Profile 9000	22.65"	25.54"	
Patriot Profile 8000	22.65"	25.54"	
Patriot Profile 6000	22.65"	25.54"	
REP 8000	20.86"	22.84"	
REP 8.5E	22.41"	25.94"	
REP 9.5E	22.43"	25.1"	
REP 9000	23.32"	26.88"	
RE8000	22.00"	28.5"	(specialty winch mount plate required)
RE10000	22.00"	28.5"	(specialty winch mount plate required)
RE12000	22.00"	28.5"	(specialty winch mount plate required)

SELF-RECOVERY WINCH WIDTHS:

- The **Spool Centered Width** below is the required minimum **Inside Mounting Width** for a specific Guard Application to have a centered winch mounting, and must be less than the listed **Inside Mounting Width** of the specific Guard Application desired.
- If your desired winch fails the above test for the intended vehicle, but the **Overall Width** of the winch is less than **Inside Mounting Width** of the specific Guard Application, **we can adjust the specific Guard Application for offset mounting of your specific winch.** Please state "offset mounting required", and provide the winch mfg and model at time of order.

WINCH MANUFACTURER			
Model Number	Overall Width	Spool Centered Width	
Superwinch, Inc. (www.superwinch.com)			
EP16.5	26.5"	27"	(specialty winch mount plate required)
EP12.5	26.5"	27"	(specialty winch mount plate required)
EP9.0	23.35"	24.1	
EP6.0	22.36"	22.6	
EPI9.0	23.35"	25.3"	
EPI6.0	22.36"	22.6"	
X9	22.88"	23.5	
X6CD	22.88"	23.5"	
S9000	23.56"	24.88"	
S6000	23.56"	24.88"	
T-Max (www.t-maxwinches.com)			
EW-12500 [Heavy Duty]	21.3"	22.8"	
EW-12500W [Outback]	21.3"	22.8"	
EW-10000 [Heavy Duty]	21.15"	22.6"	
EW-10000W [Outback]	21.15"	22.6"	
EW-11000	21.3"	23.44"	
EW-9500	21.3"	23.44"	
EW-9000	21.3"	23.44"	
EW-9000W [Outback]	21.3"	23.44"	
EW-6500	21.3"	23.44"	
EW-12500 INTEGRATED	21.3"	23"	
EW-10000 INTEGRATED	21.3"	23"	
EWI-12000 INTEGRATED	21.3"	23"	
EWI-10000 INTEGRATED	21.3"	23"	
Warn Industries, Inc. (www.warn.com)			
16.5ti	24.2"	26"	(specialty winch mount plate required)
M15000	25.2"	28.4"	(specialty winch mount plate required)
M12000	25"	28"	(specialty winch mount plate required)
9.5xp	22.7"	26.06"	
9.5ti	23.1"	26.8"	
9.5si	23.1"	26.8"	
HS9500	23.2"	27.1"	
HS9500I	23.2"	27.1"	
XD9000	21.9"	24.6"	
XD9000I	21.9"	24.6"	
M8000	20.8"	22.32"	
M6000	21.1	22.75"	
TABOR 9K	20.89"	22.75"	
TABOR 12K	20.89"	22.75"	
PowerPlant HP 9.5K	24.5"	29.5"	(offset mounting required on most applications*)
PowerPlant HD 12K	24.5"	29.5"	(offset mounting required on most applications*)

NOTE: All WARN winches with integrated control boxes require 11" of clearance **above** the mount plate of any winch guard.
 * All PowerPlant Winches are 13.5" tall, which limits mounting in many applications.

Additional Self Recovery Electric Winch Providers:

Big Roc Tools (www.brtools.com)
Bulldog Winch (www.bulldogwinch.com)
Champion Power Equipment (www.cpeauto.com)
Chicago Electric Power Tools (www.harborfreight.com)
Come-Up Winch (www.comeupwinch.com)
Gorilla Winch (www.gorillawinches.com)
Pierce Sales (www.piercewrecker.com)

IF SPECIFIC WINCH MANUFACTURER AND/OR WINCH MODEL NOT LISTED:

- There are several additional winch manufacturers and/or winch models not listed above. If the winch shares the 4 1/2" x 10" hole mounting pattern, in most cases, it will mount without problem. Determine the overall width of the winch (with control box mounted), then measure the longest side to spool center, and multiply x 2 to get the spool centered width. Please note there are issues with the various control boxes and their mounting styles, and the control box does need to be considered in the mounting.
- Several **Industrial Winch Models** from Ramsey Winch Company, Warn Industries, and Superwinch with extended spools (they do not share the 4 1/2" x 10" hole mounting pattern) can also be mounted into several of the listed vehicle applications upon specific request. Please contact us with your specific industrial winch model and requirements.

Sterling has made every effort to insure the accuracy of the provided winch information. However, winch manufacturers do change their product from time to time with features that would hinder effective mounting. Always verify the winch dimensions to determine if the specific Sterling Winch Mount Guard will work for you. Sterling cannot be held responsible for an unforeseen winch feature present on any one self recovery winch model that hinders installation into a Sterling Winch Mount Guard.

Ordering from Sterling Equipment & Mfg. Co. of Central Florida, Inc. implies acceptance of all conditions stated herein.

PAYMENT:

- Cash, Cashiers Check or Money Orders drawn at local institutions only, and Credit Card (American Express, Discover, MasterCard, and Visa). Credit Card Payments are processed through our merchant provider [PayPal](#), and will show the transactions as "PAYPAL*STERLING EQ" or as "PAYPAL*STERLING EQUIPMENT"
- Open Account, Net 15 Days only upon approved credit application.
- All Intra Florida sales subject to 7% sales tax. Florida merchants that provide annually the "FLORIDA ANNUAL RESALE CERTIFICATE FOR SALES TAX" will be tax exempt.
- No sales tax is collected for inter-state sales — however, we do encourage that the purchasers local levy be forwarded to the specific taxing authority.

SHIPPING:

- All pricing is plus shipping cost to destination zip code, for delivery to a commercial business address, or to a residential address: Continental USA only. Sorry, no inside deliveries or post office box deliveries will be accepted or are possible.
- This item ships F.O.B. Umatilla, Florida 32784. These items, due to size and weight restrictions, must be shipped LTL (Less Than Truckload) Common Carrier. Please contact Sterling for a shipping quote before ordering.

MERCHANDISE DAMAGED OR LOST:

>> EXPECT MINOR FINISH DAMAGE IN SHIPPING <<
Touch up may be made with fast drying acrylic enamel on powder coated items.
INSPECT ALL INCOMING SHIPMENTS FOR DAMAGE!

Sterling Equipment & Mfg. Co. of Central Florida, Inc. is not responsible for items damaged (visible and/or concealed) or lost in transit is the sole responsibility of the contracted LTL COMMON CARRIER, who is bonded and insured for less than perfect transport.

Upon your merchandises arrival, verify the number of pieces and note any exterior damage or shortages on the freight bill. If there is physical damage to the packaging (holes, tears, crushed parts, etc..) we strongly encourage you to open and inspect the contents BEFORE SIGNING THE FREIGHT BILL!! If you find the content damaged, REFUSE THE SHIPMENT AS DAMAGED (Doing so now will ensure the common carrier's responsibility and will allow for a quick replacement from Sterling Equipment).

All merchandise leaves Sterling Equipment in perfect condition, in new packaging, and with a correct piece count. You, as the purchaser, are liable for any product(s) found to be damaged after signing for freight "In Good Order". If you discover merchandise damage after signing for the freight bill, please obtain a (VISIBLE and/or CONCEALED) DAMAGE CLAIM FORM from the delivering COMMON CARRIER and file with the COMMON CARRIER all damage claims immediately!!

We will assist you in furnishing any information you may need to file a claim. For lost merchandise in transit (partial shipment and complete) we will need the name on the order, and the date ordered to trace the shipment.

RETURNED GOODS POLICY:

ALL SALES ARE FINAL. All products are built for the specified stock vehicle, guaranteed.

Check fit all products prior to custom painting or any other form of fabrication (sanding, drilling, blasting, painting, chroming, welding, etc.). Sterling Equipment, et. al., will not warranty any products which were modified prior to check fitting those parts on the intended vehicle. Should you have any problem installing a Sterling Equipment product please contact Sterling Equipment for technical assistance before any modification.

Merchandise may be returned within 14 days upon arrival only for reason of manufacturing defect, or shipping error and is limited to replacement. All other returns are subject to Sterling Equipment, et. al., discretion, and approval. All returns must be pre-authorized by Sterling Equipment, et. al... Product is to be repackaged in original or equally suitable packaging, proof of purchase enclosed, and returned to Sterling Equipment et. al.--shipping cost prepaid (freight prepaid). Shipments sent "freight collect" will not be accepted, unless pre-authorized by Sterling Equipment et. al..

Refunds issued by Sterling Equipment et. al. are limited to the invoiced selling price of the product only, no refunds on the shipping costs.

WARRANTY:

Sterling Equipment & Manufacturing Co. of Central Florida, Inc., 803 Line St., Umatilla, Florida for a period of one (1) year after the date of the original purchase warrants that the merchandise specifically manufactured by Sterling Equipment & Manufacturing Co. of Central Florida, Inc., will be free from defects in workmanship and materials (EXCEPT EXTERIOR FINISH). This warranty shall not be extended to any piece of merchandise, or part thereof which has been subject to improper installation, consumer modification, misuse or neglect. This warranty is limited to replacing or repairing any parts which are defective, and are returned to Sterling Equipment & Manufacturing of Central Florida, Inc., with proof of purchase date, shipping costs prepaid. Prior to replacement or repair, verbal, and or written authorization must be obtained from Sterling Equipment & Manufacturing of Central Florida, Inc.. Failure to get such authorization prior to having warranty work performed will immediately void all applicable warranties, and it is then the sole responsibility of the consumer to remit any payment incurred. This warranty gives you specific legal rights. In the event of a problem with warranty service or performance, contact the general manager of Sterling Equipment & Manufacturing Co. of Central Florida, Inc. 352-669-3255.

DISCLAIMER OF LIABILITY:

No warranty of any kind, expressed or implied, is made respecting the use of the product sold herein. Installation of Sterling Equipment & Mfg. Co. of Central Florida, Inc. products may change the vehicle manufacturers original characteristics. Sterling, et al., assumes no liabilities as a result of the changed vehicle characteristics. The buyer assumes and accepts all risk and liability whatsoever. Let it be noted that there are limitations to the severity of an impact that any tubular product can withstand. Some reasonable foreseeable impact may exceed the tubular products capability to protect against injury. These products are not a substitute for safe and careful driving.

NOTE: Sterling Equipment & Mfg. Co. of Central Florida, Inc. designs and manufactures several different winch mounting guards to accommodate self recovery winches manufactured by several different manufacturers. It is our opinion that these winch guards do not interfere with the factory air bag system when properly mounted. This opinion is based on observations of competitors winch mounting systems in conjunction with information gathered on how air bag sensors function. When installing a winch guard on a vehicle, the installer should take care to ensure that the mounting of the winch guard or its sub-brackets do not interfere with the factory air bag sensors (the vehicle sensors should not be moved or modified in any way.) It is not practical nor feasible to test every possible vehicle configuration with possible winch and winch mount configuration, and Sterling Equipment, et.al., has not attempted to do so. We recommend that the consumer check with the vehicle manufacturer and a reputable, qualified mechanic to determine whether a particular installation may interfere with the air bag system. The consumer should then make a personal decision as to the appropriateness of this accessory for their particular vehicle. Sterling Equipment, et. al., cannot and does not guarantee the proper operation of the vehicle's air bag system if the winch guard is mounted contrary to the vehicle manufacturer's recommendations.

Sterling Equipment & Manufacturing Co. Of Central Florida, Inc.
803 Line St.
Umatilla, FL 32784
Phone: (352) 669-3255
Fax: (352) 669-7711

Web: www.truckwinchmount.com
Email: sales@truckwinchmount.com

**WINCH MOUNT
GUARDS**

2009 PRICE SHEET

JOBBER

PART NUMBER	MODELS				
VEHICLE ID	- B	- T	- S	- D	- G
82AVBWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
82CBCWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
82CHDWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
82CLWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
82CWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
82DBWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
82DGBWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
82DGHWP	\$575.00	\$600.00	\$670.00	\$750.00	\$765.00
82DGWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
82DHWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
82DWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
82FBWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
82FGBWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
82FGHWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
82FGWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
82FHWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
82FWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
82GGHWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
82GGWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
82GHWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
82GTBWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
82GTWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
82GWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
82SCWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
82SDBWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
82SDWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
82TWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
82VDBWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
82VDGWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
82VDWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
83ESBWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
83ESCWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
83EXWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
83REWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00

Prices Effective
8/13/2009

All Pricing Is
Plus Shipping Cost
To Destination

www.sterling-equipment.com
www.truckwinchmount.com

**WINCH MOUNT
GUARDS**

2009 PRICE SHEET

JOBBER

PART NUMBER	MODELS				
VEHICLE ID	- B	- T	- S	- D	- G
83XESWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
83XFWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
83XGWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
84FWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
84GWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
84HBWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
84HWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
84IBWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
84IWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
84JWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
84KWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
84SDBWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
84SDCWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
84SDWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
88CBSWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
88CBWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
88EBWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
88EWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
88FBWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
88FWP	\$675.00	\$730.00	\$765.00	\$850.00	\$865.00
92TWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
93HWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
93IWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
93JWP	\$575.00	\$630.00	\$670.00	\$750.00	\$765.00
93TLFWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
93TNBWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
93TNCWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00
93TNWP	\$545.00	\$600.00	\$635.00	\$725.00	\$735.00

**WINCH MOUNT
GUARDS**

2009 PRICE SHEET

JOBBER

OPTION	PRICING			
CODE	JOBBER			DESC.
B		\$38.00		BOTTOM CROSS TUBE
E		\$38.00		EURO OVERRIDER BAR
G		\$200.00		2" STRAIGHT HOOPS
J		\$95.00		JAMMER PADS
L		\$95.00		LIGHT BAR, 4 AUXILIARY
PR		\$155.00		PORTABLE RECEIVER
MB		\$90.00		MESH BOTTOM FACE
MF		\$115.00		MESH FULL FACE
MU		\$90.00		MESH UPPER FACE
AR		\$65.00		RECEIVER ADDITION
S		\$50.00		SAFARI OVERRIDER
W		\$120.00		WIRE ADDITION

Prices Effective
8/13/2009

All Pricing Is
Plus Shipping Cost
To Destination

www.sterling-equipment.com
www.truckwinchmount.com